



VePAL TX300e

Portable SDH/Ethernet Test Set

Platform Highlights Key Features

- Intuitive presentation of measurements with test graphics
- High resolution color touch-screen viewable in any lighting conditions
- Robust, handheld chassis packed with powerful and flexible features for demanding environments and test conditions
- Optimized for field engineers or technicians installing and maintaining SDH networks transporting legacy and next generation Ethernet services
- Ethernet connections for back office applications, workforce management and Triple Play service verification
- User defined test profiles and thresholds enable fast, efficient and consistent turn-up of services
- Fast and efficient test result transfer to USB memory stick or FTP upload
- Maintain instrument software, manage test configurations, process measurement results and generate customer test reports using included ReVeal™ PC software
- Extend field testing time using interchangeable Lilon battery pack/s

- OTN/SDH/PDH
- Optical SDH/SONET testing for STM-0/1/4/16/48 and STM-64; also supports STM-0/1E (STS-1/3) Electrical
- OTN testing for OTU-1, OTU-2; OTU-1e/OTU-2e (Optional)

Next Generation Transport, Metro and

VeEX™ VePAL TX300e is the industry's smallest portable test solution for OTN/SDH, PDH and

Ethernet/Metro Transport and Core Networks

Carrier Ethernet Testing

carrying data, voice and video.

- PDH testing at E1, E2, E3 bit rates; DS1, DS3 and E4 (Optional)
- Dual E1, DS1, DS3 Rx BERT
- Non-intrusive Pulse Mask Analysis at E1, E3 and DS1, DS3 rates
- Optical Power, Electrical Level and Frequency measurements
- Path Trace and Pointer Generation and Analysis
- Automatic Protection Switching
- Round Trip Delay on all interfaces and payload mappings
- Overhead Monitoring and Byte decoding
- Tandem Connection Monitoring
- Jitter/Wander Analysis (E1, E3, DS1, DS3 and STM-10, OC-3)

Ethernet/Fibre Channel (optional)

- 10GigE LAN and WAN testing
- Single 10 GbE LAN/WAN XFP port, Dual 1000Base-X SFP ports, Dual 10/100/1000T RJ45 ports, and Single 100Base-T to 100Base-FX
- 1G/2G/4G/8G/10G Fibre Channel support for Storage Area Networks
- Q-in-Q (VLAN stacking) and multiple MPLS tag support
- Throughput, latency, frame loss, and back-to-back measurements per industry-standard RFC2544 tests
- BER testing at Layer 1, Layer 2, Layer 3 and Layer 4
- Multiple stream traffic generation and analysis for end-to-end QoS verification of multiple services